

# Spec. Profile - 080

2018 Model Year Purchase - on-screen



## 1/2 Ton Truck

Fender wells inside

**Meter Type:** kms

---

### Air Conditioning / Heating

Air Conditioning

### Alternator

100 amp

### Axle Rear

Axle Rear - Locking - Base Diff. Ratio

### Battery

600 amps cold crank

### Bluetooth/Cell phone compatibility

Hands free communication requested

### Body style

1/2 Ton

Doors - As Per Request Form

### Brakes

Power brakes - 4 wheel anti-lock

### Catalogue Specification

2018

### Colour

Interior - Dark Neutral

### Drivetrain

As Per Request Form

### Engine

As per request form

### Factory Options

Electric Brake Controller

Mud Flaps

Spray on box liner - Under rail

### Gross Vehicle Weight (GVW)

As per the request form

### Mirrors

Exterior left and right power mirrors

### Radio

AM/FM w/auxiliary input

### Seating

As Per Request Form - Configuration

Cloth Seats

### Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber

Interior rear view mirror

Intermittent Wipers

Keyless Entry

Power Door Locks

Power windows

Tilt Steering

Traction Control

### Tires

5 All Terrain - LT Load Range D

Regular size spare tire

### Transmission

Automatic With Cooler

### Wheelbase

135" to 172" - Wheel base will depend on door and box configuration

# Spec. Profile - 081

2018 Model Year Purchase - on-screen



## 3/4 Ton Truck

Fender wells inside

**Colour:** White

**Meter Type:** kms

---

### Air Conditioning / Heating

Air Conditioning

### Alternator

100 amp

### Axle Rear

Axle Rear - Locking 3.73 Ratio

### Battery

600 amps cold crank

### Bluetooth/Cell phone compatibility

Hands free communication requested

### Body style

3/4 Ton

Doors - As Per Request Form

### Brakes

Power brakes - 4 wheel anti-lock

### Catalogue Specification

2018

### Colour

Interior - Dark Neutral

### Drivetrain

As Per Request Form

### Engine

As per request form

### Factory Options

Electric Brake Controller

Mud Flaps

Spray on box liner - Under rail

### Gross Vehicle Weight (GVW)

As per the request form

### Mirrors

Extendable left and right power heated mirrors

### Radio

AM/FM w/auxiliary input

### Seating

As Per Request Form - Configuration

Cloth Seats

### Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber

Interior rear view mirror

Intermittent Wipers

Keyless Entry

Power Door Locks

Power windows

Tilt Steering

### Tires

5 All Terrain - LT Load Range D

Regular size spare tire

### Transmission

Automatic With Cooler

### Wheelbase

135" to 172" - Wheel base will depend on door and box configuration

# Spec. Profile - 082

2018 Model Year Purchase - on-screen



## 1 Ton Truck

Fender wells inside

**Meter Type:** kms

---

### Air Conditioning / Heating

Air Conditioning

### Alternator

100 amp

### Axle Rear

Axle Rear - Locking 4.10 Ratio

### Battery

750 amps cold crank

### Bluetooth/Cell phone compatibility

Hands free communication requested

### Body style

1 Ton  
Doors - As Per Request Form

### Brakes

Power brakes - 4 wheel anti-lock

### Catalogue Specification

2018

### Colour

Interior - Dark Neutral

### Drivetrain

As Per Request Form

### Engine

As per request form

### Factory Options

Electric Brake Controller  
Mud Flaps  
Spray on box liner - Under rail

### Gross Vehicle Weight (GVW)

As per the request form

### Mirrors

Extendable left and right power heated mirrors

### Radio

AM/FM w/auxiliary input

### Seating

As Per Request Form - Configuration  
Cloth Seats

### Standard equipment

12 Volt Power Point  
Block Heater  
Cruise Control  
Dual Air Bags  
Floor Mats - Rubber  
Heavy duty rear step bumper  
Interior rear view mirror  
Intermittent Wipers  
Keyless Entry  
Power Door Locks  
Power windows  
Tachometer  
Tilt Steering

### Tires

5 On-Off Road - LT Load Range E  
7 On-Off Road - LT Load Range E If Dual Rear Wheels is checked on request form  
Regular size spare tire

### Transmission

Automatic With Cooler

### Wheelbase

135" to 172" - Wheel base will depend on door and box configuration

# Spec. Profile - 082-1

2018 Model Year Purchase - on-screen



## 1 Ton Truck

1 Ton Truck Cab & Chassis

**Meter Type:** kms

---

### Air Conditioning / Heating

Air Conditioning

### Alternator

100 amp

### Axle Rear

Axle Rear - Locking - Base Diff. Ratio

### Battery

750 amps cold crank  
Dual 750 amps cold crank - diesel engine only

### Bluetooth/Cell phone compatibility

Hands free communication requested

### Body style

1 Ton  
Cab & Chassis

### Brakes

Power brakes - 4 wheel anti-lock

### C.A.

As per request form

### Catalogue Specification

2018

### Colour

Interior - Dark

### Drivetrain

As Per Request Form

### Engine

As per request form

### Factory Options

Electric Brake Controller  
Mud Flaps

### Gross Vehicle Weight (GVW)

LBS - 14,000

### Mirrors

Extendable left and right power heated mirrors

### Radio

AM/FM w/auxiliary input

### Seating

Bench seat 40/20/40 Folding centre armrest/enclosed storage  
Cloth Seats

### Standard equipment

12 Volt Power Point  
Block Heater  
Cruise Control  
Dual Air Bags  
Dual rear wheels - If Dual Rear Wheels is checked on request form  
Floor Mats - Rubber  
Interior rear view mirror  
Intermittent Wipers  
Keyless Entry  
Power Door Locks  
Power windows  
Single rear wheels  
Tachometer  
Tilt Steering

### Tires

5 On-Off Road  
7 On-Off Road - LT Load Range E If Dual Rear Wheels is checked on request form  
Regular size spare tire

### Transmission

Automatic With Cooler

### Wheelbase

135" to 172" - Wheel base will depend on door and C/A configuration

# Spec. Profile - 086

2018 Model Year Purchase - on-screen



## Compact 1/2 Ton Truck

**Meter Type:** kms

---

### **Air Conditioning / Heating**

Air Conditioning

### **Alternator**

100 amp

### **Axle Rear**

Axle Rear - Locking - Base Diff. Ratio

### **Battery**

500 amps cold crank

### **Bluetooth/Cell phone compatibility**

Hands free communication requested

### **Body style**

Compact 1/2 Ton

### **Brakes**

Power brakes - 4 wheel anti-lock

### **Catalogue Specification**

2018

### **Colour**

Interior - Dark Neutral

### **Drivetrain**

As Per Request Form

### **Engine**

As per request form

### **Factory Options**

Electric Brake Controller

Mud Flaps

Spray on box liner - Under rail

### **Fuel Type**

Unleaded

### **Mirrors**

Exterior left and right power mirrors

### **Radio**

AM/FM w/auxiliary input

### **Seating**

Cloth Seats

### **Standard equipment**

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber

Interior rear view mirror

Intermittent Wipers

Keyless Entry

Power Door Locks

Power windows

Tilt Steering

### **Tires**

5 All Terrain

Regular size spare tire

### **Trailer options**

Towing package - Class 3 Receiver Hitch

### **Transmission**

Automatic With Cooler

# Spec. Profile - 087

2018 Model Year Purchase - on-screen



## 3/4 Ton Truck - Crew Cab

Fender wells inside

**Meter Type:** kms

---

### Air Conditioning / Heating

Air Conditioning

### Alternator

100 amp

### Axle Rear

Axle Rear - Locking 3.54 Ratio

### Battery

600 amps cold crank

### Bluetooth/Cell phone compatibility

Hands free communication requested

### Body style

3/4 Ton

Crew cab

Crew Cab - 4 Full Size Conventional Doors

### Brakes

Power brakes - 4 wheel anti-lock

### Catalogue Specification

2018

### Colour

Interior - Dark Neutral

### Drivetrain

As Per Request Form

### Engine

As per request form

### Factory Options

Electric Brake Controller

Mud Flaps

Spray on box liner - Under rail

### Gross Vehicle Weight (GVW)

As per the request form

### Mirrors

Extendable left and right power heated mirrors

### Radio

AM/FM w/auxiliary input

### Seating

As Per Request Form

Cloth Seats

### Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Floor Mats - To Supply Rubber Floor Mats Front & Rear

Interior rear view mirror

Intermittent Wipers

Keyless Entry

Power Door Locks

Power windows

Tilt Steering

### Tires

5 All Terrain - LT Load Range E

Regular size spare tire

### Trailer options

Towing package - Class 5 Receiver Hitch

### Transmission

Automatic With Cooler

### Wheelbase

160"

# Spec. Profile - 088

2018 Model Year Purchase - on-screen



## 1 Ton Truck - Crew Cab

Fender wells inside

**Meter Type:** kms

---

### Air Conditioning / Heating

Air Conditioning

### Alternator

100 amp

### Axle Rear

Axle Rear - Locking 3.54 Ratio

### Battery

600 amps cold crank

### Bluetooth/Cell phone compatibility

Hands free communication requested

### Body style

1 Ton  
Crew cab  
Crew Cab - 4 Full Size Conventional Doors

### Brakes

Power brakes - 4 wheel anti-lock

### Catalogue Specification

2018

### Colour

Interior - Dark Neutral

### Drivetrain

As Per Request Form

### Engine

As per request form

### Factory Options

Electric Brake Controller  
Mud Flaps  
Spray on box liner - Under rail

### Gross Vehicle Weight (GVW)

As per the request form

### Mirrors

Extendable left and right power heated mirrors

### Radio

AM/FM w/auxiliary input

### Seating

As Per Request Form  
Cloth Seats

### Standard equipment

12 Volt Power Point  
Block Heater  
Cruise Control  
Floor Mats - To Supply Rubber Floor Mats Front & Rear  
Interior rear view mirror  
Intermittent Wipers  
Keyless Entry  
Power Door Locks  
Power windows  
Tilt Steering

### Tires

5 M&S - LT Load Range E  
6 On-Off Road - LT Load Range E If Dual Rear Wheels is checked on request form  
Regular size spare tire

### Transmission

Automatic With Cooler

### Wheelbase

160"

# Spec. Profile - 088-1200

2018 Model Year Purchase - on-screen



## 1 Ton Truck - Crew Cab

This specification is for Conservation only  
Fender wells inside

**Colour:** Yellow

**Meter Type:** kms

### Air Conditioning / Heating

Air Conditioning

### Alternator

100 amp

### Axle Rear

Axle Rear - Locking 3.54 Ratio

### Battery

600 amps cold crank

### Bluetooth/Cell phone compatibility

Hands free communication requested

### Body style

1 Ton  
Crew Cab - 4 Full Size Conventional Doors

### Brakes

Power brakes - 4 wheel anti-lock

### Catalogue Specification

2018

### Colour

Exterior - Yellow  
Interior - Dark

### Engine

8 Cylinder

### Factory Options

Electric Brake Controller  
Mud Flaps  
Spray on box liner - Vendor must supply

### Gross Vehicle Weight (GVW)

9,900 lbs MAXIMUM  
LBS - 9,900

### Mirrors

Extendable left and right power heated mirrors

### Radio

AM/FM w/auxiliary input

### Seating

Bench 40/20/40 Split  
Cloth Seats

### Standard equipment

12 Volt Power Point  
Block Heater  
Cruise Control  
Dual Air Bags  
Floor Mats - To Supply Rubber Floor Mats Front & Rear  
Interior rear view mirror  
Intermittent Wipers  
Keyless Entry  
Power Door Locks  
Power windows  
Tilt Steering

### Tires

5 M&S - LT Load Range E  
Regular size spare tire

### Trailer options

Towing package - Class 5 Receiver Hitch

### Transmission

Automatic With Cooler

### Wheelbase

160"



# Spec. Profile - B-706

2018 Model Year Purchase - on-screen



## Dump Box 12Ft. ( 12'x8'x42")

**Colour:** Black

**Meter Type:** (none)

---

### Body Construction

Back-up alarm

### Wheelbase

160"

### C.A.

84"

### Catalogue Specification

2018

### Colour

Black

### Dump Box

Body Mount - Body to be mounted on a 1 ton Cab/Chassis, with all lights and reflectors, mud flaps and mounting brackets to Federal Safety Standards

Electric hydraulic pump

Floor Construction - 3/16" Smooth Steel - Hat sill design to prevent floor was panning inside and premature rusting underneath.

Front Construction - Solid Formed Steel,Bolted Down, 42" High with Mesh Window Opening

Height - 48"

Hoist - Under Body Style Hoist, 10 Ton Capacity, with Double Acting Electric Hydraulic Pump - In Cab Push Button Control

Length - 12'

Paint - Fully sandblasted body, Polyurethane Primed and Painted with Dupont Imron Elite, require paint thickness of (4-6 mm)

Pump - Galvanized Steel Pump Box, Frame Mount

Rear Construction - Solid Formed Steel, 2 Piece Swing-out Removable End Gates c/w Hold Back Chains, 48' high

Side Construction - Welded non removeable 12 Gauge Steel Sides, rub rail, 6" high.

Width - 8'

### Electrical

Wiring - Sealed Harness System Lighting

### Lighting

LED Tail - sealed rubber grommet

### Standard equipment

Mud Flaps -Rubber,anti sail

Roll Up Tarp - Michels Black Mesh Slide N'Go Tarp System

Spare Tire Holder Under Box

Tool Box - Under Slung On Driver's Side

# Spec. Profile - B-720

2018 Model Year Purchase - on-screen



## Dump Box 9 Ft. (9' x 8' x 12") MES 16.04.05

This specification is for MB Infrastructure only  
MES spec 16.04.05

**Colour:** Black

**Meter Type:** (none)

### C.A.

60"

### Wheelbase

160"

### Catalogue Specification

2018

### Colour

Black

### Dump Box

Body Mount - Body to be mounted on a 1 ton Standard Cab/Chassis, with all lights and reflectors, mud flaps and mounting brackets to Federal Safety Standards

Electric hydraulic pump - Champion Hydraulic Lift Model CS615T (15 Tons/30,000 lbs)

Floor Construction - 7 Gauge Steel plate, 7" formed long sills

Front Construction - Formed steel, 12" deep cab shield sloped 20 degrees, sides tapered @ 30 degrees, plasma cut slotted window

Height - 14" Without plank gussets

Hoist - Double acting, scissor type, 15,000lbs, 50 degrees dumping angle

Length - 9'

Paint - 2 Coats black polyurethane enamel

Rear Construction - Two-way tailgate with ability to open from top or bottom, spreader chains

Side Construction - Drop sides with two stainless steel latches per side, 2"X6" plank gussets, access fold up ladder on right hand side

Width - 8' 2"

### Electrical

Wiring - Sealed Harness, LED Lighting, 10' corded remote for hoist control

### Standard equipment

Back-up Alarm

Mud Flaps -Rubber,anti sail

Roll Up Tarp - Self storing open black mesh tarp

Spare Tire Holder inside Box

Tool Box - Underneath dump box on right hand side

### Trailer options

Trailer Hitch - Dual Hitches- One (1) 20,000lb pintle hook. Position 28" from the ground to the centre of the lunette eye. One (1) receiver hitch installed at a 24" height, with insert's ball at a 20" centre height. 2 5/16" replaceable ball 1 1/4" shank, 14,000lbs